



**Document Number:** PIS-MF-004  
**Origination Date:** April 2, 2013

**Version:** New  
**Revised:** New

## SELEE Product Information Sheet

For Safe Handling and Disposal

### Introduction

**Name of Product:**

Inconel Metal Foam  
Includes grades:  
Inconel 600, 601, 625

**Product Use:**

Radiant burners; Catalyst supports

**Contact Information:**

SELEE Corporation

**Address:**

700 Shepherd Street  
Hendersonville, NC 28792 U.S.A

**Telephone Number:**

+1 (828) 697-2411  
+1 (800) 438-7274

**NOTE:** This product is considered an "article" per OSHA 29 CFR 1910.1200 (HCS) and hazard communication is not required. Since it is in the best interest of the consumer that information about this product be readily available, SELEE Corporation has listed all information pertinent to the safe handling and disposal of this product for its intended use and foreseeable misuse. The product is sintered metal foam with individual components bound in metal alloy and is considered non-hazardous.

### Composition

Component Name

Metal foam filter

**ATTENTION:**

This product contains chromium metal as part of the components that are sintered together to create the metal foam, but it is not released under the normal conditions of use.

### Personal Protection and Exposure Controls

**Engineering Controls:**

A well-ventilated area is recommended for use.

**Personal Protective Equipment (PPE):**

**Eye Protection:**

General handling of the product: cutting or damaging a new or spent filter may generate metal dust particles that can pose a mechanical risk to eye injury. Safety glasses should be worn.

**Skin Protection:**

Gloves should be worn due to the abrasiveness of the filter.

**Respiratory Protection:**

Metal dust particles could become airborne during handling and pose a risk for inhalation. Use in a well-ventilated area. Using professional judgment, a respirator can be used.

## Handling and Storage

### Precautions for safe handling:

Use appropriate industrial hygiene and safety practices by washing hands before breaks and at the end of shifts.

### Conditions for safe storage, including incompatibilities:

Store in dry area. Avoid dust generation.

### Possibility of hazardous reactions:

Introduction of water to molten metal can cause an explosion. Do not use wet or moist product in contact with molten aluminum as risk of explosion.

### Conditions to avoid:

Avoid wet or moist conditions.

## First Aid Measures

### Eye:

Safety glasses should be worn to protect against mechanical eye irritation. Flush eye with water or saline solution. Consult medical professional if irritation persists.

### Skin:

Proper gloves should be worn to protect against abrasion.

### Inhalation:

Remove person to fresh air. Do not inhale dust.

### Ingestion:

Not a typical mode of exposure.

## Physical and Chemical Properties

### Physical State and Color:

Solid, open pore structure; Metallic gray in color

### Specific Gravity:

Approx. 8.3-8.5

### Chemical Stability:

Stable

## Disposal Considerations

### Waste disposal:

Do not dispose of using sewage disposal. Material should be discarded in proper waste receptacles OR in accordance with Federal, State and Local regulations.

## Transport Information

**U.S. Department of Transportation (DOT):** Not regulated as a Hazardous Material.

**United Nations Model Regulation on the Transport of Dangerous Goods:** Not regulated as a Hazardous Material.

## Regulatory Information

**U.S. Regulations:**

None for sintered metal foam.

**International Regulations:**

None for sintered metal foam.

**Additional Information**

**Changes made after revision:** None, this revision is new.

The above information is believed to be correct, but does not purport to be all-inclusive and should be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.

**END OF PRODUCT INFORMATION SHEET**